



THAVE ENGINEERING CORPORATION



**THAVE
ENGINEERING**

Think Quality Think Us

Exported in 45+ countries all over the world

1. Biodegradable Bags Making Machine :-

a. Monolayer Blow Film

Plant :- (HM | HDPE | LDPE | BIO | LD)

Model	T - 30	T - 35	T - 40	T - 45	T - 50	T - 55
Screw Dia	30	35	40	45	50	55



b. Double Decker Bottom

Cutting and Sealing Machine :-

1) Servo Driven

2) Sizes Available :- 18" | 24" | 28" | 32" | 36" | 44"



c. Cut Punching Machine :-

(DW/U)



d. Mini Recycling Machine :-



Features:

- Waterless | Energy Saver | Space Saver
- Suitable for BIO, LDPE and HDPE Film



2. Side Sealing Machine :-

Servo Driven Size Available 18-42 inch

Features:

- Rugged construction
- Accurate alignment of parts
- Superior performance
- Long lasting
- Industry standard price



3. Double Decker Bottom Cutting and Sealing Machine :-

Servo Driven

Size Available :- 18" | 24" | 28" | 32" | 44"




Specifications :

- Microprocessor controlled film feeding
- Unwinder with AC frequency motor
- Sensor controlled input of film roll, gives perfect sealing line
- Static Charge for Removal
- Strong state AC control systems
- Photo registration mark sensor for printed films
- Suitable for HM-HDPE, LLDPE, LDPE, PP films
- Static Charge elimination
- Preset counter for number of bags with buzzer alarm and totalizer
- Steel table with magnetic stands to stack bags


4. 3-Side Scale & Center Sealing Machine :-

Technical Specification	
Max. Sealing Width	850mm
Min. Draw Length	75mm
Max. Draw Length	700mm
Speed (For 4 inches pouch)	160-180 shots per min.
Maximum Roll Dia.	700mm
Total connected load	4 KW
Overall Dimensions (LWH)	3900x 1800x 1750 mm



Mini One Color Flexo Printing Machine

Printing Width	1.5"	3"	5"	10"	15"	20"
Printing Length	12"	18"	18"	18"	18"	18"



Inline Single Color Flexo Printing Machine (Changeable Drum)

Printing Width	5"	10"	15"	20"
Printing Length	16-40"	16-40"	16-40"	16-40"

Speed Time :- Max 100 mt/min
Gear Less | Pneumatic System




Inline One Color Flexo Printing Machine


Printing Width - 16" to 80"
Printing Length - 10" to 32"



Inline One Color Rotogravure Printing Machine

Printing Width	5"	10"	15"
Printing Length	18"	18"	18"





Single Color and Two Color Roll to Roll Flexo Printing Machine

The machine is suitable for printing on :

LDPE HM HDPE PP PAPER

Features

- Perfect Registration
- Uniform Impression
- Single Winder & Single Unwinder (1 Colour)
- Double Winder & Single Unwinder (2 Colour)

► Perfect Registration

Web Width (inches) : 14 | 16 | 20 | 26 | 32
 Printing Width (inches) : 12 | 14 | 18 | 24 | 30
 Print Repeat (inches) : 8 to 36
 Max Reel Dia. (inches) : 30
 Printing Speed : 50 meter/min

► Dimension

Height 7.5 FT	Length 6 FT	Width 6 FT
------------------	----------------	---------------

► Power Requirement


Main Drive : 2 HP
 Blower AC Motor : 0.5 HP
 Heaters(1 colour) : 4.5 Kw. (6 HP)
 Heaters(2 colour) : 5.5 Kw. (7.5 HP)

► Optional

- Doctor Blade System

Service/Product Application Areas Our Product range has wide application in the following are as:

- * HM
- * LD
- * PP
- * LLDP
- * BIO PP
- * PAPER PLANT
- * NON-WOVEN BAG PLANT
- * LAMINATION PLANT
- * STRETCH FILM PLANT
- * BUBBLE SHEET PLANT
- * CLOTH MFG PLANT
- * RAFFIA BAG PLANT
- * TARPAULIN PLANT



10. Multi Colour Flexo Printing Machine :-



Technical Information

Printing width (In.)	12"	18"	24"	30"	34"	40"
Cylinder width (In.)	14"	20"	26"	32"	36"	42"
Rubber roller width (In.)	12"	14"	17"	20"	24"	26"
Colour	2, 4, 6, 8					
Printing repeat (In.)	8 to 40					
Max reel dia. (In.)	30					

Optional Features Available :

- Tension Control System
- Web Aligner
- Doctor Blade System with Ceramic Roller
- Chambered Doctor Blade System with Ceramic Roller

11. Multi Colour Rotogravure Machine :-




Technical Information

Printing width (In.)	16"	22"	28"	32"	44"	46"
Cylinder width (In.)	20"	26"	32"	36"	48"	50"
Rubber roller width (In.)	18"	24"	30"	34"	46"	48"
Colour	2, 4, 6, 8, 10, 12					
Printing repeat (In.)	16 to 40					
Max reel dia. (In.)	30					

Optional Features Available :

- Auto Splice turret changeover System
- Inline lamination system
- Video scanning system
- Auto per register and control system
- Remote faulty diagnostic system
- Ink circulation system
- Ink temperature control system
- Chill rollers system at each station
- Crossed turn bars system for front and back print

List of Countries we Exported



Mexico, UAE, Belarus, Sri Lanka, Comoros
Kenya, Mauritius, Papua_New_Guinea, Tanzania, South-Africa
Greece, Burundi, Morocco, Tunisia, Vietnam,
Colombia, Turkey, Qatar, Ecuador, Botswana, Malaysia

H.O. / M.U.



Plot No. A-15, KH NO-24/14,
Defence Enclave, Near Ajay Vatika,
Chander Vihar, Nilothi Extension,
Wes Delhi, 110041

Branch Office :

1923 South City pandit Kheda
Alinag Ali Nagar Sunah
Lucknow / Lesa lucknow
Up 226008 IND

+91 95650-45869 (Shyam)



+91 70422-04011



www.thaveengineering.in



engineeringthave@gmail.com
info@thaveengineering.in



Thave Engineering Corporation



ThaveEngineer1



ThaveEngineering



Thave Engineering Corporation